



Drive Parts

• Belts	118
• Aramid cord belts	126
• Belts cross references	128
• Pulleys	146
• Bearings and bushings	154
• Spindles and accessories	163
• Blade adapters and Kits	170
• Wheel and deck accessories	174





	Type			
➔ AYP/HUSQVARNA/PARTNER				
AYP #196857 Husqvarna #532196857	2	9,5 mm x 83,20 cm 3/8" x 32-3/4"	• 21" self propelled models 6522SH, 62522SH, 6522SL, 67522ES, XT22, XT722	15-020
AYP #131264	2	12,7 mm x 199,4 cm 1/2" x 78.5"	• Fits 10HP, 36" (91.4 cm) cut front engine rider, model WP1036A • Fits 11HP, 36" (91.4 cm) cut front engine rider, model WP1136A	75-097
AYP #106085X	2	12,7 mm x 200,6 cm 1/2" x 79"	• For 18HP tractors with electro-magnetic clutch • Fits Partner 12-95E, Jonsered LT1238	75-107
AYP #140294	2	12,7 mm x 209 cm 1/2" x 82.25"	• Ground drive belt for 42" and 44" (107 and 112 cm) Cut, • Lawn Tractors, with Hydrostatic Transmission.	75-000
AYP #1629J	2	12,7 mm x 210,8 cm 1/2" x 83"	• Transmission belt for Sears models 917.255702-3	75-115
AYP #139573	2	12,7 mm x 212,7 cm 1/2" x 83.75"	• Primary mower drive belt, tractor to mower 50" (127 cm) deck with 20HP and 22HP Kohler engines, 46" (116.8 cm) deck with 18HP Kohler engines, model year 94,95, 97-98	75-169
AYP #174978	2	12,7 mm x 215 cm 1/2" x 84-5/8"	• Mower deck belt 36" mower	75-898
AYP #180214	2	12,7 mm x 221 cm 1/2" x 87-13/32"	• Mower deck belt 38" mowers	75-899
AYP #144200	2	12,7 mm x 224,5 cm 1/2" x 88.375"	• Deck belt for 42" (106.7 cm) deck with double idler pulleys	75-099
AYP #126520X	2	12,7 mm x 225 cm 1/2" x 88-1/2"	• Transmission Drive Belt, 12hp, 36" (92 cm) and 38" (96.5 cm) cut (Peerless Drive units)	75-935
AYP #125907X	2	12,7 mm x 229,9 cm 1/2" x 90-1/2"	• Transmission belt for 14HP with 38" (96.5 cm) cut deck	75-171
AYP #193214	2	12,7 mm x 230 cm 1/2" x 90-7/16"	• Mower deck belt 38" mowers built 2006	75-892
AYP #130969	2	12,7 mm x 234,7 cm 1/2" x 92.4"	• Drive belt for 42" (106.7 cm) mowers, 12, 12.5 and 14HP models	75-106
AYP #110884X	2	12,7 mm x 238.1 cm 1/2" x 93-3/4"	• Power take-off belt for model XEG11082HA	75-194
AYP #138255	2	12,7 mm x 241,9 cm 1/2" x 95-1/4"	• Mower deck belt for 50" (127 cm) decks w/20HP Kohler engines	75-167
AYP #144959	2	12,7 mm x 242,6 cm 1/2" x 95-1/2"	• Deck belt for 106.7 cm (42"), 117 cm (46") and 127 cm (50") decks built since 1995	75-197
AYP #197253	2	12,7 mm x 257 cm 1/2" x 101-1/4"	• Mower deck belt 42" mowers built 2006	75-895
AYP #429636 Husqvarna #532429636	2	12,7 mm x 257,8 cm 1/2" x 101-1/2"	• Mower deck drive belt for 42" Zero cut mowers 2009 to 2010 models LTH2042, YTH2042	15-023
AYP #405143 Husqvarna #532405143	2	12,7 mm x 268,6 cm 1/2" x 105-3/4"	• 46" cut mowers 2006 to 2010 models 2146XLS, 2246XLS, 2346XLS, YTH20K46, YTH21K46, YTH2146XP, YTH22V46, YTH2246	15-022
AYP #165632	2	12,7 mm x 285 cm 1/2" x 112-5/16"	• Transmission belt hydrostatic mowers built 1999 and before	75-897
AYP #180808	2	16 mm x 226 cm 5/8" x 89"	• Deck Drive Belt, 48" (122 cm) decks	75-654
AYP #1174368A	2	16 mm x 228 cm 5/8" x 90"	• Primary mower drive 48" cut (2001-2003)	75-912
➔ BOLENS				
Bolens #1760959	2	12,7 mm x 256 cm 1/2" x 101"		75-401
➔ CASTELGARDEN				
Castelgarden #35065600	4	20 mm x 160 cm .787" x 63"	• Double cogged belt for 102 cm Twin-Cut deck 1600 DS8M20	75-250
Castelgarden #35065601	4	24 mm x 175 cm .94" x 69"	• Double cogged belt for 122 cm Twin-Cut deck 1800 DS8M25	75-251
Castelgarden #35065700	5	AA x 216 cm AA x 85"	• Six-sided belt for Twin-Cut Junior (TC92)	75-252




	Type			
→ CASTELGARDEN ./..				
Castelgarden #35061501/0	2	12,7 mm x 152 cm 1/2" x 60"	• Drive belt, TC102	75-254
Castelgarden #35062811/0, #35062813/0	2	16,6 mm x 140 cm 21/32" x 55,1"	• Engine to deck, TC102	75-253
→ COUNTAX / ECHO-TRAK				
Countax #2281110A	2		5 and 6 Speed Manual Transmission (Plastic fan) • Engine - PTO • Engine - Transmission	75-484
Countax #2281110A Countax #22906300	2		Hydrogear Hydrostatic (4 blade metal fan) • Engine - PTO • Engine - Transmission	75-484 75-475
Countax #2281110A Countax #22919900	2		Peerless Hydrostatic (Plastic fan) • Engine - PTO • Engine - Transmission	75-484 75-478
Countax #2281110A Countax #22912300	2		Tuff Torq K55 Hydrostatic (8 blade metal fan) • Engine - PTO • Engine - Transmission	75-484 75-480
Countax #2281110A Countax #228001000	2		Tuff Torq K46 Hydrostatic - Foot Control (Plastic fan) • Engine - PTO • Engine - Transmission	75-484 75-482
Countax #228001500 Countax #22950000	2		A20/50 • Engine - PTO • Engine - Transmission	75-493 75-490
Countax #228001400	2		D18/50 • Engine - PTO • Engine - Transmission	75-400
Countax #22949800 Countax #22940200 Countax #22871200 Countax #22949900 Countax #22949800 Countax #22940200 Countax #22940100 Countax #228000100 Countax #229503200	2		Cutter Deck Drive Belts - Mag Stop Clutch • Engine to Deck 36" • Engine to Deck 38" • Engine to Deck 42" • Engine to Deck 48" • Engine to Deck 38" Mulching Pre '97 • Engine to Deck 38" Mulching '98 inc onwards • Engine to Deck 44" Mulching • Engine to Deck 36" Field Mulching • Engine to Deck 42" Field Mulc	75-557 75-558 75-560 75-562 75-557 75-558 75-559 75-554 75-555
Countax #22871200 Countax #22870100 Countax #22886700 Countax #22929500 Countax #22886700	2		Cutter Deck Drive Belts - Warner or Ogura Clutch • Engine to Deck 36" • Engine to Deck 38" • Engine to Deck 42" • Engine to Deck 48" • Engine to deck 38" Mulching	75-560 75-561 75-563 75-565 75-563
Countax #22807600	4		Contra Decks • Toothed Crossover 36"	75-606
Countax #22869800 Countax #22869901 Countax #22870000 Countax #22928800	5		Internal Deck Drive Belts • Internal Deck Drive 36" (108" - 7/16" - 275 cm) • Internal Deck Drive 38" (112" - 285 cm) • Internal Deck Drive 42" (120" - 305 cm) • Internal Deck Drive 48" (136" - 345 cm)	75-105 75-602 75-603 75-604
Countax #228000500	2		• Internal Deck Drive 38" Mulching	75-474
Countax #22869800	5		• Internal Deck Drive 36" Field Mulching (105" - 267 cm)	75-105



	Type			
➔ COUNTAX / ECHO-TRAK /..				
Countax #22870101 Countax #22940100 Countax	2		50" IBS Deck • A20/50 Engine to Deck • D18/50 Engine to Deck	75-561 75-559
Countax #22870101 Countax #22871200	2		50" Mulching Deck • A20/50 Engine to Deck • D18/50 Engine to Deck	75-561 75-560
Countax #228000100	2		36" Field Grass Mulcher • Engine to Deck	75-554
Countax #22869800	5		• Internal Deck Drive (108-7/16" - 275 cm)	75-105
Countax #229503200 Countax #229503200	2		42" Field Grass Mulcher • A20/50 Engine to Deck • D18/50 Engine to Deck	75-555 75-555
Countax #22832800	2		Pre 1993 • PGC Side Drive	75-438
Countax #22923400 Countax #22950300	2		After serial no. 81209 • PTO to PGC • PGC Side Drive	75-451 75-438
Countax #22923400 Countax #22950300	2		A20/50 • PTO to PGC • PGC Side Drive	75-451 75-440
Countax #22898000 Countax #22950300	2		D18/50 • PTO to PGC • PGC Side Drive	75-449 75-440
➔ CUB CADET				
Cub Cadet #954-04122, #754-04122	2	12,7 mm x 229 cm 1/2" x 90-1/4"	• Engine to Deck Drive, 46" cut mowers 2006 to 2009 models 13**6**H***	15-025
Cub Cadet #954-04142, #754-04142	2	12,7 mm x 232,4 cm 1/2" x 91-1/2"	• Engine to Deck Drive, 46" cut mowers 2007 to 2009 models 13**7**H***	15-026
➔ HARRY				
Harry #94021001	2			75-330
Harry #94021002	2			75-335
➔ HUSQVARNA / JONSERED				
Husqvarna #196857, #532196857	2	9,5 mm x 83,20 cm 3/8" x 32-3/4"	• Transmission - Fits 21" self propelled models 6522SH, 62522SH, 6522SL, 67522ES, XT22, XT722	15-020
Husqvarna #5066604-01, #5310050-22	2	10 mm x 157 cm 3/8" x 62"	• Rider 850, 1987 on.. • Mower belt	75-795
Husqvarna #5067684-01	2	12,7 mm x 89 cm 1/2" x 53"	• R11 Bio, R13 Bio, R14 Pro, R15 Pro, R16, ProFlex 18/20/21, Rider 970, 1200 • Engine - Pulley	75-258
Husqvarna #5310050-25, #5321265-20	2	12,7 mm x 225 cm 1/2" x 88-1/2"	• LT100, LT112, LT120, LT125, LR120	75-935
Husqvarna #5321312-64, #5310050-26	2	12,7 mm x 199 cm 1/2" x 78-1/2"	• Model LT100, 112, 120, 125, 130, LR120, 125,130, LTH130 • Engine - Deck • 125,130,LTH130 Engine - Deck	75-097
Husqvarna #5321449-59, #5310075-62, #5310050-83	2	12,7 mm x 242,6 cm 1/2" x 95-1/2"	• YT130, 150, YTH130, 150, 160 with 42" and 48" Deck. Deck Belt.	75-197
Husqvarna #5321442-00, #5310050-86	2	12,7 mm x 224,5 cm 1/2" x 88-3/8"	• LT125 (to 1992), LTH125, YT130, 150, YTH 125, 130, 150, 160, 180 • Engine-Deck Belt, 42" and 46" Decks	75-099
Husqvarna #5321402-94, #5310060-42	2	12,7 mm x 209 cm 1/2" x 82-1/4"	• LTH125, 135, YTH130, 135, 150/XP, 155, 160, 170, 180/XP, 210XP Trans-mission (Hydro-drive) belt.	75-000
Husqvarna #5321382-55, #5321308-01, #5310060-43	2	12,7 mm x 242 cm 1/2" x 95-1/4"	• LT125, 135, YT130, 135, 155 Deck Belt	75-167
Husqvarna #5321259-07	2	12,7 mm x 230 cm 1/2" x 90-1/2"	• LT125, LT960-12, Transmission belt	75-171



	Type			
➔ HUSQVARNA / JONSERED /..				
Husqvarna #5321395-73	2	12,7 mm x 212,7 cm 1/2" x 83-3/4"	• Model GT190 Deck drive belt, 46" and 50" Decks	75-169
AYP #429636 Husqvarna #532429636	2	9,5 mm x 257,8 cm 1/2" x 101-1/2"	• Mower Deck drive belt for 42" cut mowers 2009 to 2010 models LTH2042, YTH2042	15-023
AYP #405143 Husqvarna #532405143	2	9,5 mm x 268,6 cm 1/2" x 105-3/4"	• Mower Deck - 46" cut mowers 2006 to 2010 models 2146XLS, 2246XLS, 2346XLS, YTH20K46, YTH21K46, YTH2146XP, YTH22V46, YTH2246	15-022
Husqvarna #532169178 Jonsered #532169178	5	275,6 cm 108,5" "AA"	• For 42" (106 cm) Deck on Husqvarna Models CT150 A/B/C, CT160 A/B/D, CTH1602 B/C/D • Jonsered Models ICT16A/18A (2000-2001)	75-602
Husqvarna #532165555 Husqvarna #5321802-17 Jonsered #5321802-17	5	275,4 cm 108-7/16" "AA"	• Deck-drive for 36" (92 cm). • Decks on models CTH150, CTH1306, CT135 (2002 →), • Jonsered ICT14, ICT16A, ICT17A, ICT19A	75-105
➔ JOHN DEERE				
John Deere #M112006	2	12,7 mm x 159 cm 1/2" x 62-1/2"	• Drive Belt for Ride-On Models GX70, GX75, GX85, GX95, RX63, RX73, RX75, RX95, SX75, SX85, SX95.	75-972
John Deere #GX21833	2	12,7 mm x 356 cm 1/2" X 140-1/4"	• PTO drive 145 AND 155C models	75-800
John Deere #M154601	2	12,7 mm x 358 cm 1/2" X 141-1/2"	• Deck drive X300 Series, for 38" deck with tension handle	75-802
John Deere #M154621	2	12,7 mm x 365,7 cm 1/2" X 144-1/4"	• Deck drive X300 and X304 MODELS, for 42C deck	75-803
➔ MTD				
MTD #754-0430, #954-0430	1	9,5 mm x 89,1 cm 3/8" x 35.1"	• Drive belt for 5 HP dual stage snowthrowers, model years 92-97, matched set of 2, priced per set	75-158
MTD #754-04062, #942-04062	2	12,7 mm x 197,8 cm 1/2" x 77-7/8"	• Deck Drive Belt • For 38 inch cut decks used on 700 model series 2005 and later	75-600
MTD #954-04122, #754-04122	2	12,7 mm x 229 cm 1/2" x 90-1/4"	• Engine to Deck Drive • For 46 inch cut mowers 2006 to 2009 models 13**6**H**	15-025
MTD #954-04142, #754-04142	2	12,7 mm x 232,4 cm 1/2" x 91-1/2"	• Engine to Deck Drive • For 46 inch cut mowers 2007 to 2009 models 13**7**H**	15-026
MTD #754-0241, #954-0241	2	15,9 mm x 88,9 cm 5/8" x 35"	• Engine to vari, series 500 rear engine	75-012
MTD #754-0240, #954-0240	2	15,9 mm x 96,5 cm 5/8" x 38"	• Variable to transmission, series 500 rear engine	75-009
MTD #954-0468, #754-0468	2	15,9 mm x 105,4 cm 5/8" x 41-1/2"	• Upper drive belt for 600 series auto drive mowers (1999-2003)	75-993
MTD #754-0370, #954-0370	2	15,9 mm x 121 cm 5/8" x 47,5"	• Variable speed, Fits all 600 series models and 750 - 769 after 1990	75-119
MTD #754-0363, #954-0363	2	15,9 mm x 167 cm 5/8" x 66"	• Blade drive for 32" (81 cm) Deck on 400 Series Models, Also B10, B100, B11, B115	75-280
MTD #754-0151, #954-0151	2	15,9 mm x 170,1 cm 5/8" x 67"	• Engine to transmission on riders, Fits models 132-480 older 81 cm (32") cut • ARAMID construction	75-004
MTD #754-0364, #954-0364	2	15,9 mm x 172,7 cm 5/8" x 68"	• Blade belt used on riding mowers 91 cm (36") cut models • Models B125, TE145 • ARAMID construction	75-025
MTD #754-0145, #954-0145	2	15,9 mm x 175,2 cm 5/8" x 69"	• Blade belt for 96,5 cm (38") deck • ARAMID construction	75-145
MTD #954-0453	2	15,9 mm x 177 cm 5/8" x 69.1/2"	• Vari-Drive Belt, Yard Bug model.	75-675
MTD #754-0427, #954-0427	2	15,9 mm x 180 cm 5/8" x 71"	• Blade drive for 12hp Models 666E, L676F	75-168



	Type			
➔ MTD /..				
MTD #754-0371A, #954-0371A	2	15,9 mm x 187,9 cm 5/8" x 74"	- Fits riders w/side discharge 106,6 cm (42"), "G" series decks LH145, B145-155, 165, H165, F165, HG6140, 6145, TG155 - ARAMID construction	75-028
MTD #954-0467, #754-0467	2	15,9 mm x 231 cm 5/8" x 91"	Lower drive belt for 600 series auto drive mowers (1999-2003)	75-995
MTD #954-04001	2	17 mm x 177 cm 21/32" x 69-1/2"	Vari-Drive Belt, 600 series 2003 on.	75-673
MTD #754-0433, #954-0433	2	17 mm x 175,8 cm 21/32" x 69,25"	96,5 cm (38") deck on 800 series riders - ARAMID construction	75-029
MTD #754-0280, #954-0280	2	17,8 mm x 133 cm 45/64" x 52-3/8"	- Use w/our #75-281, 300, 400, 600, 700 series, - Engine to Vari speed	75-002
MTD #754-0281, #954-0281	2	17,8 mm x 111,25 cm 45/64" x 43-13/16"	- Variable speed belt 300, 400, 600 series tractors	75-281
MTD #754-0443A, #954-0443A	5	"HAA" x 229,1 cm "HAA" x 90,2"	Mower deck belt for rear discharge mower model 765, up to 1997, Lawnflite 904, 906	75-109
➔ MURRAY / YARDKING				
Murray #37X65	2	12,7 mm x 76,2 cm 1/2" x 30"	- Engine to transaxle for 63,5 cm (25") and 76,2 cm (30") rider - ARAMID construction	75-065
Murray #37X38	2	12,7 mm x 102,8 cm 1/2" x 40,5"	- Transmission belt for 63,5 cm (25") and 76,2 cm (30") cut - ARAMID construction	75-038
Murray #37X57	2	12,7 mm x 136,3 cm 1/2" x 53,68"	- Blade drive belt - ARAMID construction	75-057
Murray #37X70	2	12,7 mm x 194,9 cm 1/2" x 76,75"	Primary drive, 46" (116,8 cm) deck on LT 1990-1995, 14 HP and 18 HP lawn tractors	75-001
Murray #37X69	2	12,7 mm x 204,2 cm 1/2" x 80-3/8"	Blade drive belt, fits Murray and Ultra lawn tractors, 18HP, 4630 series with 46" (116,8 cm) cut, LT and GT tractors, 84-88	75-151
Murray #37X63	2	12,7 mm x 210,8 cm 1/2" x 83"	Deck belt, 38" (96,5 cm) deck, New models since 1989	75-063
Murray #37X43	2	12,7 mm x 210,8 cm 1/2" x 83"	- Fits 36" (91,4 cm) deck, rear and side discharge uni-frame - ARAMID construction	75-005
Murray #37X86	2	12,7 mm x 214,3 cm 1/2" x 84-3/8"	Blade Drive Belt for 38" (965 mm) Deck, 1997 to present.	75-266
Murray #37X62	2	12,7 mm x 219,7 cm 1/2" x 86,5"	Deck belt, 40" (101,6 cm) and 42" (106 cm) cut, models since 1989	75-041
Murray #37X89	2	12,7 mm x 218,7 cm 1/2" x 86.098"	Blade drive belt for 46" (116,8 cm) deck on LT tractor	75-129
Murray #37X96	2	12,7 mm x 224 cm 1/2" x 88-1/4"	Blade Drive Belt for 46" (117 cm) Deck	75-964
Murray #37X88	2	12,7 mm x 224,2 cm 1/2" x 88.25"	Fits 42" (106,7 cm) Hydro tractor	75-135
Murray #37X11, #21615	2	12,7 mm x 241,3 cm 1/2" x 95"	- Transmission drive belt, For 36" (91,4 cm), 38" (96,5 cm) and 42" (106,7 cm) riding mowers. - Not used on uniframe models	75-111
Murray #37X61	2	12,7 mm x 241,5 cm 1/2" x 95-3/32"	- Motion drive belt, 38" (96,5 cm) and 40" (101,6 cm) cut, - Models since 1989	75-061
Murray #37X87	2	12,7 mm x 246,4 cm 1/2" x 97"	Motion drive belt for 96,5 cm (38") lawn tractors since 1997	75-209
Murray #37X80	2	12,7 mm x 218,7 cm 1/2" x 86,12"	Motion drive on hydro units on LT Dacron®, 40" (101,6 cm), 42" (106,6 cm) and 46" (116,8 cm) decks, 12,5 HP, 14 HP and 18 HP LT Hydro 1994 - Current	75-042
Murray #37X60	4		11 hp, 102 cm (40") deck, blade belt (Double sided toothed drive)	75-601



	Type			
➔ NOMA / HAKO / UNITECH				
Noma #314120	2	12,7 mm x 221,5 cm 1/2" x 87-1/4"		75-934
➔ NOMA / HAKO / UNITECH ./..				
Noma #43066, #42881	3	15,9 mm x 180,3 cm 5/8" x 71"	• Fits 91,4 cm (36") cut, side discharge	75-168
Noma #300680P	2	15,9 mm x 196,8 cm 5/8" x 77.5"	• Deck drive for 96,5 cm (38"), 99 cm (39") and 114,3 cm (45") deck.	75-136
Noma #48044, #32986	3	15,9 mm x 200 cm 5/8" x 78-3/4"	• Blade drive, fits 91,4 cm (36") cut, rear discharge	75-179
Noma #314108P	3	15,9 mm x 218,4 cm 5/8" x 86"	• Blade belt for 109,2 cm (43") cut, models D4314-060, D4315-000 and D4318-060	75-138
➔ PARTNER				
Partner #506 03 30-31	1	6,35 mm x 80 cm 1/4" x 31-1/2"	• Cogged V belt for K650 Active, K650 Active II and K700 Active II cut-off saws	75-711
Partner #506 07 05-06	1	9,5 mm x 80 cm 3/8" x 31-1/2"	• Cogged V belt for K650 Active III and K7000 Active III cut of saws	75-713
Partner #506 07 05-03	1	9,5 mm x 87,6 cm 3/8" x 34-1/2"	• Cogged V belt for K950 cut-off saws with 12" and 14" blades	75-724
Partner #506 07 05-07	1	9,5 mm x 100 cm 3/8" x 39-1/2"	• Cogged V belt for K1250 Active cut-off saws	75-726
Partner #506 0330 01	1	6,35 mm x 80 cm 1/4" x 31-1/2"	• Drive Belt, K650 Mk.II and K650 Active Disc Saw	75-920
Partner #5151120-47	2	9,5 mm x 112 cm 3/8" x 44"	• 4110, 4500, 5110, 5210 models	75-695
Partner #5151120-10	2	9,5 mm x 116 cm 3/8" x 44"	• 4000, 4100, 5510, 6006 models	75-691
Partner #5151120-44	2	9,5 mm x 121 cm 3/8" x 45-1/2"	• 4110, 4500, 5110, 5210 models	75-694
Partner #506 29 67-02	8	14 mm x 81 cm .550" x 32"	• Multi-ribbed belt for K750 cut-off saws	75-712
➔ RANSOMES BOBCAT				
Ransomes #78030N	2	15,9 mm x 235,2 cm 5/8" x 92.6"	• 48" (121,9 cm) blade drive	75-058
➔ SCAG / SABO				
Scag #48587	3	12,7 mm x 144,1 cm 1/2" x 56,75"	• Hydro pump drive	75-052
Scag #48087	2	15,9 mm x 135 cm 5/8" x 53,187"	• Blade to blade for SW/SLM48	75-154
Scag #48285	2	15,9 mm x 142,2 cm 5/8" x 56"	• Right blade drive, 132 cm (52") cut	75-048
Scag #48204, #31308	2	15,9 mm x 208,3 cm 5/8" x 82"	• Blade to blade, fits 91,4 cm (36") walk-behind	75-054
Scag #48089	2	15,9 mm x 227,6 cm 5/8" x 89,6"	• Deck drive, 122 cm (48") mid-sized mowers	75-055
Scag #A48286, #38030N	2	15,9 mm x 235,2 cm 5/8" x 92,6"	• Deck drive, 132 cm (52") cut	75-058
Scag #48912	2	15,9 mm x 298,8 cm 5/8" x 117,625"	• Engine to blade, 154,9 cm (61") deck on 20 and 22 HP, HP Kohler. Models STHM20 and STHM22	75-044
Scag #482529	2	15,9 mm x 376 cm 5/8" x 148.1/4"	• Deck Belt for 48" (122 cm) Tiger Cub model.	75-682



	Type			
➔ SCAG / SABO ./..				
Scag #48202	9	28,6 mm x 130,8 cm 1-1/8" x 51,5"	• Wheel drive belt • ARAMID construction	75-260
➔ SIMPLICITY				
Simplicity #1668066	2	12,7 mm x 305 cm 1/2" x 120"	• Blade belt for 42" Deck on 5000 and 6000 Series models	75-371
➔ SNAPPER				
Snapper #2-9604/ 7029604	2	9,5 mm x 83,8 cm 3/8" x 33"	• V belt for 3200 series snowthrowers	75-727
Snapper #1-0749	5	12,7 mm x 172,7 cm 1/2" x 68"	• AA belt, For 63,5 cm (25"), 66 cm (26"), 71,1 cm (28") and 76,2 cm (30") cut rear engine rider (hexagonal)	75-068
Snapper #1-8236, #2-2252	5	12,7 mm x 185,4 cm 1/2" x 73"	• AA belt, For 83,8 cm (33") cut (hexagonal)	75-073
Snapper #1-4525, #2-4497	5	12,7 mm x 275 cm 1/2" x 108-7/16"	• For 104,1 cm (41") rear rider and 121,9 cm (48") deck on tractors	75-105
Snapper #7-6497	1	15,9 mm x 111,8 cm 5/8" x 44"	• Wheel belt, Fits all early models, Cog belt	75-221
Snapper #7-6677	2	15,9 mm x 235,2 cm 5/8" x 92,6"	• 121,9 cm (48") blade drive	75-058
➔ STIGA				
Stiga #1134-9006-01, #9585-0108-00	1		• Blade drive for all Stiga Park (except new mulching decks)	75-255
Stiga #1134-9008-01, #9585-0050-00	2	12,7 mm x 88,9 cm 1/2" x 35"	• Motion drive for Pony, Villa (up to 1996), Park 2000 (1975-1984)	75-256
Stiga #1134-9012-01	1	12,7 mm x 100,3 cm 1/2" x 39-1/2"	• Engine to center drive for Park 2002 and for Park 10, 11, 12, 13, 16	75-261
Stiga #1134-9009-01, #9585-0052-00	2	12,7 mm x 111,8 cm 1/2" x 44"	• Deck PTO drive for Villa 85B up to 1996	75-257
Stiga #1134-9010-01, #9585-0053-00	2	12,7 mm x 134,6 cm 1/2" x 53"	• Engine to center drive for Villa	75-258
Stiga #1134-9011-01, #9585-0054-00	3	12,7 mm x 170,2 cm 1/2" x 67"	• Deck PTO drive for Park with 100B deck	75-259
Stiga #1482-9001-01, #9585-0019-00	2	9,5 mm x 103 cm 3/8" x 40-1/2"	• JB 300, 400, 50, 500, 30, 35, 51, 90, 521, 921; S40, 45; JB500	75-790
Stiga #1134-9031-01, #9585-0072-00	2	12,7 mm x 145 cm 1/2" x 57"	• Villa: 8E, 9E, 11E, 1102E, 1302E, Classic, Senator, President. MultiClip 85M, 102M. Engine-Deck.	75-788
Stiga #1134-9045-01, #9585-0081-00	2	12,7 mm x 223 cm 1/2" x 88"	• Park: 12, 13HST, 16HST, 18HST, Senator, President, Royal, Pro 16, Pro18, Pro20; 102M, 107M, 121M	75-789
Stiga #9585-0087-00	6		• Villa: 1102E, 1302E, Senator, President Park: 12, 13HST, 16 HST, 18HST, Senator, President, Royal, Pro16, Pro18, Pro20	75-791
Stiga #1134-9007-01, #9585-0118-00	2	9,5 mm x 151,2 cm 3/8" x 59-1/2"	• Villa: 808E, 8E, 9E, 11E, Classic	75-786
➔ STIHL				
Stihl #9490-000-7851	1	9,5 mm x 87,4 cm 3/8" x 34,4"	• Drive Belt for TS400 Cut-off Saw	75-273



	Type			
➔ TORO / WHEELHORSE				
Toro #106-7369	2	15,9 mm x 446,8 cm 5/8" x 175-15/16"	• Deck Drive Belt • For Z MASTER mowers with 48" and 52" cut Turbo Force and 7-gauge side discharge decks	15-016
Toro #106-7350	2	16,66 mm x 616 cm 21/32" x 264-13/32"	• Engine to Deck belt 72" Z Master Z500	75-888
Toro #105-8783	2	16,66 mm x 674 cm 21/32" x 242-13/32"	• Engine to Deck belt 60" Z Master Z500	75-887
Toro #27-1160	5	AA x 262,9 cm AA x 103,5"	• Blade to blade for 112 cm (44") and 132 cm (52") decks	75-165
Toro #44-6260	5	AA x 308,6 cm AA x 121-1/2"	• Deck Belt for 62" (1,57M) Groundsmaster	75-373
➔ TROY-BILT				
Troy-Bilt #1128-1		12,7 mm x 55 cm 1/2" x 21-5/8"	• Drive Belt for Horse Tiller models.	75-685



cm

Inches





cm	Inches	3L	4L	5L
45,70	18"	-	75-418	-
48,30	19"	-	75-419	-
50,80	20"	75-320	75-420	-
53,30	21"	75-321	75-421	-
55,90	22"	75-322	-	-
58,40	23"	75-323	75-423	-
61,00	24"	75-324	75-424	-
63,50	25"	75-325	75-425	75-525
66,00	26"	75-326	75-426	75-526
68,60	27"	75-327	75-427	75-527
71,10	28"	75-328	75-428	75-528
73,70	29"	75-329	75-429	75-529
78,70	31"	75-331	75-431	75-531
81,30	32"	75-332	75-432	75-532
83,80	33"	75-333	75-433	75-533
86,40	34"	75-334	75-434	75-534
88,90	35"	75-335	75-435	75-535
91,40	36"	75-336	75-436	75-536
94,00	37"	75-337	75-437	75-537
96,50	38"	75-338	75-438	75-538
99,10	39"	75-339	75-439	75-539
101,60	40"	75-340	75-440	75-540
104,10	41"	75-341	75-441	75-541
106,70	42"	75-342	75-442	75-542
109,20	43"	75-343	75-443	75-543
111,80	44"	75-344	75-444	75-544
114,30	45"	75-345	75-445	75-545
116,80	46"	75-346	75-446	75-546
119,40	47"	75-347	75-447	75-547
121,90	48"	75-348	75-448	75-548
124,50	49"	75-349	75-449	75-549
127,00	50"	75-350	75-450	75-550
129,50	51"	-	75-451	75-551
132,10	52"	-	75-452	75-552
134,60	53"	-	75-453	75-553
137,20	54"	-	75-454	75-554
139,70	55"	-	75-455	75-555
142,20	56"	-	75-456	75-556
144,80	57"	-	75-457	75-557
147,30	58"	-	75-458	75-558
149,90	59"	-	75-459	75-559
152,40	60"	-	75-460	75-560
154,90	61"	-	75-461	75-561
157,50	62"	-	75-462	75-562
160,00	63"	-	75-463	75-563
162,60	64"	-	75-464	75-564
165,10	65"	-	75-465	75-565
167,60	66"	-	75-466	75-566



cm

Inches



172,70	68"	-	75-468	75-568
175,30	69"	-	75-469	75-569
177,80	70"	-	75-470	75-570
180,30	71"	-	75-471	75-571
182,90	72"	-	75-472	75-572
185,40	73"	-	75-473	75-573
188,00	74"	-	75-474	75-574
190,50	75"	-	75-475	75-575
193,04	76"	-	75-476	75-576
195,60	77"	-	75-477	75-577
198,10	78"	-	75-478	75-578
200,70	79"	-	75-479	75-579
203,20	80"	-	75-480	75-580
205,70	81"	-	75-481	75-581
208,30	82"	-	75-482	75-582
210,80	83"	-	75-483	75-583
213,40	84"	-	75-484	75-584
215,90	85"	-	75-485	75-585
218,40	86"	-	75-486	75-586
221,00	87"	-	75-487	75-587
223,50	88"	-	75-488	75-588
226,10	89"	-	75-489	75-589
228,60	90"	-	75-490	75-590
231,10	91"	-	75-491	75-591
233,70	92"	-	75-492	75-592
236,20	93"	-	75-493	75-593
238,80	94"	-	75-494	75-594
241,30	95"	-	75-495	75-595
243,80	96"	-	75-496	75-596
246,40	97"	-	75-497	75-597
248,90	98"	-	75-498	75-598
251,50	99"	-	75-499	75-599
254,00	100"	-	75-500	75-500
256,50	101"	-	75-401	-
259,10	102"	-	75-402	-
261,60	103"	-	75-403	75-503
264,20	104"	-	75-404	75-504
266,70	105"	-	75-405	75-505
269,20	106"	-	75-406	75-506
271,80	107"	-	75-407	-
274,30	108"	-	75-408	-
276,90	109"	-	75-409	-
279,40	110"	-	75-410	-
281,90	111"	-	75-411	-
284,50	112"	-	75-412	-
287,00	113"	-	75-413	-
289,60	114"	-	75-414	-
292,20	115"	-	75-415	-
294,80	116"	-	75-416	-
297,40	117"	-	75-417	-