


Cutting Parts

• Oregon® blades family	8
• Premium Gator® lawnmower blades	10
• One-for-all blades	12
• One-for-all OEM cross references	14
• Replacement blades	27
• Edger blades	82
• Robotic mower blades	83
• Blades cross references	84
• Blades by length	108

Oregon blades : when outstanding quality and innovation come together

Oregon blades have unique features that bring an optimal performance and extended lifetime to your blade. Our blades are produced in our manufacturing plants of Kansas City, U.S., and Civray, France, under strict quality requirements to make sure we consistently offer you the best blade in the market.



Throughout the blade manufacturing process, 26 key characteristics are checked to ensure our blades deliver the quality you have the right to expect from an Oregon blade.

- **Balance** – We ensure all blades are optimally balanced to ensure superior performance.
- **Material Integrity** – We consistently check our blades to ensure their material delivers tough, durable and long-lasting performance.
- **Sharpness** – Each blade meets our rigid standards for sharpness and quality.
- **Performance** – We make sure each and every blade performs to its highest level.
- **Center-Mounting Hole** – Our blades fit with exact OE requirements.
- **Traceability** – Each and every blade produced by our factory has full traceability back to the mill where the steel was produced.



Civray, France



Kansas City, U.S.

The Oregon lawnmower blade family



1 One-For-All lawnmower blades

- Premium quality blade
- Universal fit: reduced inventory
- 1 blade fits many lawnmowers
- Heavy and medium duty applications
- Mulching, bagging and side discharge




2 Premium Gator® lawnmower blades

- Premium quality blade
- Heavy duty applications
- Superior mulching, bagging and side discharge
- Less sharpening
- Longer lifetime



3 OEM replacement lawnmower blades

- High quality blade
- Exact OEM replacement
- Extensive range: over 500 SKUs



4 Robotic mower blades

- Fit most popular robotic mower applications

PREMIUM GATOR® LAWMOWER BLADES


The Oregon Gator® series of lawn mower blades deliver a full range of enhancements designed to boost performance and durability. The exclusive Gator Mulcher® feature on every Gator® blade provides outstanding bagging and discharge efficiency, saving you time and hassle.

FEATURES



HIGH-LIFT

GATOR® MULCHER®



Superior Bagging

Superior Side Discharge

Superior Mulching



The aggressive blade angle increases air flow to push debris up-and-out for superior bagging or side discharge.

Cleaner, more efficient cutting performance can eliminate the need to bag, saving time and hassle.

Up to
leng
cutti
ez

APPLICATIONS



Engineered with the core Gator® mulching features that make them a great choice for normal and abrasive conditions. G3™ blades mow faster at higher speeds compared with traditional mulching blades, eliminating the need to bag in most cutting conditions, and provides excellent bagging performance when needed.

— G3 blades may include additional features and/or other dimensions than listed above.



An optimum combination
Features a high-lift conto
premium features to improve performar



SPECIFICATIONS

EXTENDED
CUTTING
LENGTH™






FUSION®

THICKER AND
WIDER STEEL
STOCK

WIDTH

THICKNESS

LIFT



Increased
Cutting

Preserves
Cutting Edge

Superior
Longevity



76.2 mm
3.00"

6.35 mm
0.250"

31.75 mm
1.00"



76.2 mm
3.00"

≤ 5.156 mm
≤ 0.203"

31.75 mm
1.00"



≤ 63.5 mm
≤ 2.50"


≤ 5.156 mm
≤ 0.203"

25.4 mm
0.75"

twice the cutting
length optimizes the
cutting efficiency with
each revolution.

Tungsten carbide is
"fused" into the blade
— creating an ultra-hard
layer at the cutting edge
and increasing the time
between sharpening.

Greater width and
thickness extends blade
life and allows for longer
lifting arch to improve
bagging and mulching.



Radius-cut end

All Gator® blades feature progressive
geometry to maintain maximum cutting
length throughout the life of the blade.

for a wide range of mower units.
our as well as two additional,
ice and retain blade sharpness.



Heavy-duty blades designed for professional applications
and to withstand punishing conditions, while offering
the full-range of features that make Gator® series blades unique.

ONE-FOR-ALL BLADES



UNIVERSAL LAWN MOWER BLADES RETAIL PACK



ONE-FOR-ALL GATOR® MULCHER STRAIGHT BLADES



	6	16" / 40cm	69-239-0
	6	17" / 42.5cm	69-241-0
	6	18" / 45.1cm	69-242-0
	6	19" / 47.6cm	69-243-0
	6	20" / 50.2cm	69-244-0
	6	21" / 52.7cm	69-245-0
	6	22" / 55.2cm	69-246-0

ONE-FOR-ALL GATOR® MULCHER FORMED BLADES



	6	18" / 45.1cm	69-263-0
	6	19" / 47.6cm	69-264-0
	6	20" / 50.2cm	69-265-0
	6	21" / 52.7cm	69-266-0
	6	22" / 55.2cm	69-267-0

ONE-FOR-ALL STRAIGHT BLADES



	6	15" / 37.5cm	69-247-0
	6	16" / 40cm	69-248-0
	6	17" / 42.5cm	69-249-0
	6	18" / 45.1cm	69-258-0
	6	19" / 47.6cm	69-259-0
	6	20" / 50.2cm	69-260-0
	6	21" / 52.7cm	69-261-0
	6	22" / 55.2cm	69-262-0

ONE-FOR-ALL FORMED BLADES



	6	15" / 37.5cm	69-250-0
	6	16" / 40cm	69-251-0
	6	17" / 42.5cm	69-252-0
	6	18" / 45.1cm	69-253-0
	6	19" / 47.6cm	69-254-0
	6	20" / 50.2cm	69-255-0
	6	21" / 52.7cm	69-256-0
	6	22" / 55.2cm	69-257-0

ONE-FOR-ALL DETHATCHER BLADES



	3	16" / 40cm	690-617-0
	3	18" / 45.1cm	690-618-0
	3	20" / 50.2cm	690-521-0

UNIVERSAL LAWN MOWER BLADES RETAIL PACK

**ONE-FOR-ALL
HI-LIFT BLADES**


	6	15 " / 37.5cm	69-268-0
	6	16 " / 40cm	69-269-0
	6	17 " / 42.5cm	69-270-0
	6	18 " / 45.1cm	69-271-0
	6	19 " / 47.6cm	69-272-0
	6	20 " / 50.2cm	69-273-0
	6	21 " / 52.7cm	69-274-0
	6	22 " / 55.2cm	69-275-0

ADAPTORS - SET OF 7

① 10mm, ½" (12.7mm), 14mm, 16mm, 18mm, 19.5mm, 21mm	1		02-035
---	---	--	---------------

DETHATCHER SPRINGS - 10-PACK

① 10mm, ½" (12.7mm), 14mm, 16mm, 18mm, 19.5mm, 21mm	1		89-801
---	---	--	---------------

**ONE-FOR-ALL WASHERS :
BAGS OF 10 UNITS**


	1	10mm	09-022
--	---	------	---------------

									
								GATOR®	STD
		  							
➔ ALKO									
Classic 40E, 40B, Comfort 40E	1	513519	38,5	19,7	9	65	-	69-247-0	
Classic 42 plus	1	531486	39,5	19,0	9,0	65	-	69-247-0	
Comfort 420 BIO-COMBI	1	460983	40	19	8x12	65	-	69-239-0	
Sigma 460, Goldenline 460, Orion 460, 47 Classic 46E, 46B, BR, BRE	1	343120	46	19,5	9	65	69-242-0	69-258-0	
Sigma 460, Goldenline 460, Orion 460, 47 Classic 46E, 46B, BR, BRE	1	513520	46	19,5	9	65	69-242-0	69-258-0	
Sigma 460, Goldenline 460, Orion 460, 47 Classic 46E, 46B, BR, BRE	1	513621	46	19,5	9	65	69-242-0	69-258-0	
Sigma 460, Goldenline 460, Orion 460, 47 Classic 46E, 46B, BR, BRE	1	530979	46	19,5	9	65	69-242-0	69-258-0	
Premium 6000	1	531736	46	19,5	-	-	69-263-0	69-253-0	
	1	405499	46,5	19	8	65	69-242-0	69-258-0	
	1	313931	47,5	19	12,7x20	70	69-243-0	69-259-0	
Aero Kreil 48CM	1	328531	47,8	19,7	12,7x20	70	69-243-0	69-259-0	
30/485/48B5/4800B5	1	300130	48,5	10	-	-	69-264-0	69-254-0	
➔ ANTONIO CARRARO									
Rondo 1500 (60", 155CM)	3	59006200	51,4	19	-	-	69-265-0	69-255-0	
➔ ARIENS									
GT Tractor (38", 96CM)	2	31237	42	19	-	-	-	69-252-0	
GT Tractor (48", 122CM)	3	30278	42,1	19	-	-	-	69-252-0	
ZTR (50", 127CM)	3	8779200	43	19	-	-	-	69-252-0	
➔ AS-MOTOR									
Mulchmeister 102	1	6415	44,1	20,3	6,8	47	69-241-0	69-249-0	
Mulchmeister 84	1	5757	54,2	20,3	-	-	69-246-0	69-262-0	
➔ BERNARD									
BM102, BM104	1	12800	42	8,5	-	-	69-239-0	69-248-0	
➔ BOBCAT									
82CM, 122CM	2-3	WM132061	41,2	15,8	-	-	69-239-0	-	
92CM, 137CM	2-3	32022HD	45,7	15,8	6,3	41,2	69-242-0	69-258-0	
36", 92CM	3	BAN2111PB	45,7	15,8	-	-	69-263-0	69-253-0	
XM series (92CM, 137CM)	2-3	32022A	45,7	15,8	-	-	69-242-0	69-258-0	
➔ BOLENS									
30048S, 30048E, 18336, 19211 (48", 122CM)	3	173-0412	43,1	9,5	9,5	69,8	69-241-0	69-249-0	
30048S, 30048E, 18336, 19211 (48", 122CM)	3	173-2145	43,1	9,5	9,5	69,8	69-241-0	69-249-0	
30048S, 30048E, 18336, 19211 (48", 122CM)	3	173-8571	43,1	9,5	9,5	69,8	69-241-0	69-249-0	
300365, 310365 (36", 92CM)	2	174-7640	47	17,7	-	-	69-242-0	69-258-0	
300365, 310365 (36", 92CM)	2	177-2335	47	17,7	-	-	69-242-0	69-258-0	
21", 53CM	1	176-4381	53	12,7	9,5	63,5	69-266-0	-	
21", 53CM	1	310-1220	53	12,7	9,5	63,5	69-266-0	-	
22", 56CM	1	189-3850	55,2	12,7	9,9	63,50	69-267-0	69-257-0	
➔ BUNTON									
81CM, 122CM	2-3	PC1255	40,6	15,8	-	-	69-239-0	69-248-0	
81CM, 122CM	2-3	A48110	41,9	15,8	-	-	69-241-0	69-249-0	
81CM, 122CM	2-3	PL4205	41,9	15,9	-	-	69-241-0	-	
Model 38, 39 & 41 (82CM, 122CM)	2-3	PL4855	41,9	15,9	-	-	69-241-0	-	
Model 38, 39 & 41 (82CM, 122CM)	2-3	PL4055	41,9	15,9	-	-	-	69-252-0	
92CM, 132CM	2-3	PL4206	45,7	15,9	-	-	69-242-0	69-258-0	
61", 152CM	3	PC005	53,1	15,9	-	-	69-245-0	69-261-0	
61", 152CM	3	A48111	53,3	15,8	-	-	69-245-0	-	
60", 152CM	3	PC005	53,3	15,8	-	-	69-245-0	-	

        								
➔ CARONI								GATOR® STD
TC590N (60", 155CM)	1	59006200	51,4	19	-	-	69-265-0	69-255-0
➔ CASTELGARDEN								
New Garda 410, 414	1	81004233/0	39	18	8,5	65	-	69-248-0
New Garda 410, 414	1	81004233/2	39	18	8,5	65	-	69-248-0
New Garda 410, 414	1	81004360/1	39	18	8,5	65	-	69-248-0
New Garda 410, 414	1	81004360/2	39	18	8,5	65	-	69-248-0
New Garda 410, 414	1	81004360/3	39	18	8,5	65	-	69-248-0
430, 480	1	81004396	40,8	18	8,8	65	69-239-0	69-248-0
RASER 43. 430 + 480 models with 40CM cut	1	81004341/0	41	18	8,8	65	69-239-0	69-248-0
RASER 43. 430 + 480 models with 40CM cut	1	81004396/0	41	18	8,8	65	69-239-0	69-248-0
	1	81004365/3	43,5	18	8,8	65	-	69-252-0
460 MULCHING	1	81004365	43,5	18	8,8	65	69-241-0	-
460 series	1	81004232/1	44,0	18	8,8	65	69-241-0	69-249-0
S474L, G45	1	81004385	44,9	18	8,8	65	69-242-0	69-258-0
430, 480 series	1	81004346/2	45,7	18	8,8	65	69-263-0	69-253-0
430, 480 series	1	81004397/0	45,7	18	8,8	65	69-263-0	69-253-0
T430,T434,T480,T484, MULCHING TC92	1	81004346	46	18	8,8	65	69-263-0	69-253-0
T430,T434,T480,T484, MULCHING TC92	1	81004346/0	46	18	8,8	65	69-263-0	69-253-0
T430,T434,T480,T484, MULCHING TC92	1	81004346/1	46	18	8,8	65	69-263-0	69-253-0
T430,T434,T480,T484, MULCHING TC92	1	81004346/2	46	18	8,8	65	69-263-0	69-253-0
500 series	1	81004366/0	48	18	8,8	65	69-264-0	69-254-0
500 series	1	81004370/0	48	18	8,8	65	69-264-0	69-254-0
500 series	1	81004395/0	48	18	8,8	65	69-264-0	69-254-0
500 series	1	81004395/1	48	18	8,8	65	69-264-0	69-254-0
474TT,N504	1	81004366	48	18	8,8	65	69-243-0	69-254-0
474TT, NG504, NG504TR, TRE	1	81004366/2	48	18	8,8	65	69-243-0	69-254-0
	1	81004126/0	50	18	8,8	65	69-243-0	69-259-0
530	1	81004381	50,6	18	8,5	65	69-244-0	69-260-0
530, Variolux 53BCAH	1	81004381/0	50,6	18	8,5	65	69-244-0	69-260-0
RL534	1	81004398	51	18	8,7	65	69-265-0	69-255-0
➔ CUB CADET								
44" (117CM)	3	742-3002	38,4	19	-	-	-	69-250-0
48" (122CM)	3	742-3019	41,9	19	7,9	63,50	69-241-0	69-249-0
50" (127CM)	3	742-3003	43,6	19	-	-	-	69-252-0
3160-A	1	117453-C1	52,4	19	-	-	69-266-0	69-256-0
42", 107CM	2	742-3018	53,5	19	7,9	63,50	69-245-0	69-261-0
➔ DIXON								
50", 127CM	3	9433	43,1	17,4	-	-	69-241-0	-
50", 127CM	3	9444	43,1	17,7	-	-	69-241-0	69-249-0
42", 107CM	3	13920	43,1	17,7	-	-	-	69-247-0
Model 502 & 503 (127CM)	3	9258	43,2	15,8	-	-	69-241-0	69-249-0
Model 502 & 503 (127CM)	3	9265	43,2	15,8	-	-	69-241-0	69-249-0
92CM	2	1893	47	17,7	-	-	69-242-0	69-258-0
92CM	2	1324	47	17,7	-	-	69-242-0	69-258-0
92CM	2	6895	47	17,7	-	-	69-242-0	-
152CM	3	6898	52	17,7	-	-	69-245-0	-
8025 (152CM)	3	12441	52,1	15,8	-	-	69-245-0	69-261-0

        OREGON ONE FOR ALL GATOR® STD								
➔ DIXON ./..								
8025 (152CM)	3	18931	52,1	15,8	-	-	69-245-0	69-261-0
60", 152CM	3	18931	52,1	15,8	-	-	69-245-0	-
➔ DOLMAR								
PM48, PM48S, EM4816	1	664531048	45,7	18	8,8	65	69-263-0	69-253-0
➔ EFCO								
LR43PB	1	66010038	39	10	8	65	-	69-247-0
LR43PE	1	66010047	39	21	10,5	52	-	69-247-0
LR44PB	1	-	40,5	10	8	65	69-239-0	69-248-0
LR47PE	1	66010017	45,5	21	10,5	52	69-242-0	69-258-0
LR47PB	1	66030201	45,5	10	7,9	65	69-242-0	69-258-0
G53TX	1	66070034	51	10	8	65	69-244-0	69-260-0
➔ E-FLOR								
	1	531-0050-09	43,7	10	-	-	69-241-0	-
460 series	1	81004232/1	44	18	8,8	65	69-239-0	-
MULTICLIP 46S/PRO 46	1	1111-1530-01	46	10	8	55	69-242-0	-
MULTICLIP 46S/PRO 46	1	1111-1603-01	46	10	8	55	69-242-0	-
MULTICLIP 46S/PRO 46	1	1111-9077-01	46	10	8	55	69-242-0	-
MULTICLIP 46S/PRO 46	1	1111-9078-01	46	10	8	55	69-242-0	-
36", 92CM	2	4943	46	10	8	50	69-242-0	69-258-0
TMG18 (54", 137CM)	3	8657306-001-00	47,5	14,0	-	-	69-264-0	69-254-0
➔ EXCEL/HULSTER								
Model 2500 (60", 152CM)	3	76752	53,2	12,7	-	-	69-266-0	69-256-0
➔ EXMARK								
44", 112CM	3	653102	38,7	16	-	-	69-250-0	69-247-0
48", 122CM	3	403059	41,2	15,8	-	-	69-239-0	69-248-0
52", 132CM	3	603873	45,7	12,7	-	-	69-242-0	-
92CM, 132CM	2-3	303283	45,7	15,8	-	-	69-242-0	69-258-0
92CM, 132CM	2-3	303495	45,7	15,8	-	-	69-263-0	-
60", 152CM	3	603874	52	12,7	-	-	69-265-0	-
Turf Tracer (60", 152CM)	3	603283	52	12,7	-	-	-	69-255-0
60", 152CM	3	633483	52,1	15,8	-	-	69-245-0	-
➔ FLANDRIA								
Rekord	1	490005	43,5	10	10,5	52	69-241-0	69-249-0
➔ GRANJA								
GT14CP	1	M2868	37,9	16	6,5	70	-	69-250-0
Laser, Mascot, Mercury 16", Omega, Delta, Optima, Mascot 42, Mascot 420P	1	B021300/0	41,9	16	7,9	65	-	69-251-0
GT346/ 347/352/353	1	1206	45,8	10	-	-	69-263-0	69-253-0
	1	M1336	46	16	7	70	69-263-0	69-253-0
	1	M4358	46	16	7	70	69-263-0	69-253-0
	1	041300/0	46	16	8	65	69-263-0	69-253-0
MS748	1	90892048	48	10	-	-	69-264-0	69-254-0
5160BR, 51606BRT, 5160BRM	1	90895105	51,2	10	8,3	65	69-265-0	-
MS753	1	90892047	52,0	10	7,9	65	69-261-0	69-245-0
➔ GRASSHOPPER								
52", 132CM	3	320236	45,7	12,7	-	-	69-263-0	69-253-0
61", 155CM	3	320242	53,3	12,7	-	-	69-266-0	69-256-0

        								
        								
GRAVELY								
PRO 50 (127CM)	3	11234P1	43,1	15,8	-	-	69-241-0	69-249-0
Model 502 & 503 (127CM)	3	46998	43,2	15,8	-	-	69-241-0	-
Pro Master 100ZTR (127CM)	1	46998	43,2	15,8	-	-	69-241-0	69-249-0
36", 92CM	2	38883	44,9	15,8	-	-	69-242-0	-
36", 92CM	2	42124	44,9	15,8	-	-	69-242-0	-
102CM, 152CM	2-3	25124	52	15,8	-	-	-	69-261-0
60", 155CM	3	48864	52	15,8	-	-	69-245-0	69-255-0
60", 152CM	3	46999	52,1	15,8	-	-	69-245-0	69-255-0
GUTBROD								
Golf 248 S4	1	-	45	15,8	7,9	65	69-242-0	69-258-0
HARRY								
16", 41CM	1	302-40-803	47,5	15,8	10	70	69-263-0	-
22", 56CM	1	423-40-803	55	15,8	10	70	69-267-0	-
HAYTER								
Hobby Petrol	1	201026	40,6	15,8	-	-	69-239-0	69-248-0
Hunter 45	1	320019	45,5	15,8	-	-	69-242-0	69-258-0
Harrier, Kestrel 48	1	4013	48	15,8	-	-	69-243-0	69-259-0
Harrier, Kestrel 48 (old)	1	40130	48,2	15,8	-	-	69-243-0	69-259-0
HUNTER 54	1	330032	53	16	-	-	69-245-0	69-261-0
HONDA								
Pan-European E 410, HRE 410, HRG 410/413	1	CG81004396HO	40,8	18	8,8	65	69-239-0	-
SW429, SW429 Z, SW4642	1	81004396/0	41	18	8,8	65	69-239-0	69-248-0
SW429, SW429 Z, SW4642	1	81004341/0	41	18	8,8	65	69-239-0	69-248-0
HRE410, HRG410/413	1	8100-43-960	41	18	8,8	65	69-239-0	69-248-0
Pan-European HRF464S, HRG465C, HRF465PS, HRG465	1	8100-43-970	45,7	18	8,8	65	69-263-0	69-253-0
S4650Q, QA, QAE, SW439, A, AE, Z, SW4648, A, AE, JU 2135, H, CM7114 H, CM 7124 H	1	81004346/2	45,7	18	8,8	65	69-263-0	69-253-0
S4650Q, QA, QAE, SW439, A, AE, Z, SW4648, A, AE, JU 2135, H, CM7114 H, CM 7124 H	1	81004397/0	45,7	18	8,8	65	69-263-0	69-253-0
HF2113	1	8100-43-463	46,2	18	8,5	65	69-263-0	69-253-0
SW432 A, SW432 A3, SW432, AE3, SW4753 A, SW4753 A3	1	81004398/0	50,5	18	8,8	65	69-265-0	69-255-0
HURRICANE								
NG464	1	81004365/1	43,5	18	8,8	65	-	69-252-0
HUSQVARNA/AYP								
970-12 (97CM)	3	539-1032-74	38	16	-	-	-	69-247-0
Pro-Flex, R1200 (47", 120CM)	3	506-8852-01	43,7	10	-	-	69-241-0	-
Pro-Flex, R1200 (47", 120CM)	3	531-0050-09	43,7	10	-	-	69-241-0	-
BioClip Mulcher, Team Partner ABS	1	516 44 38-00	46	10	8,5	65	69-263-0	-
BioClip Mulcher, Team Partner ABS	1	5310050-40	46	10	8,5	65	69-263-0	-
36", 92CM	2	71285	46,1	9,5	-	-	69-242-0	69-258-0
36", 92CM	2	75270	46,1	9,5	-	-	69-242-0	69-258-0
36", 92CM	2	98111	46,1	9,5	-	-	69-242-0	69-258-0
36", 92CM	2	25645R	46,1	9,5	-	-	69-242-0	69-258-0
Partner 890, 1090, 1290 (36", 92CM)	2	121263	46,2	9,5	-	-	69-242-0	69-258-0
Partner 890, 1090, 1290 (36", 92CM)	2	120262X	46,2	9,5	-	-	69-242-0	69-258-0
Partner 890, 1090, 1290 (36", 92CM)	2	126338X	46,2	9,5	-	-	69-242-0	69-258-0
92CM, 36"	2	5321263-38	46,2	9,5	-	-	69-242-0	69-258-0
36", 92CM	2	5321222-60	46,2	9,5	-	-	69-242-0	69-258-0

     OREGON ONE FOR ALL GATOR® STD								
➔ HUSQVARNA/AYP ./..								
Bioclip, Team Partner 246D	1	5164005-00	46,5	10	8,5	65	69-263-0	69-253-0
38", 96.5CM	2	123461X	49	9,5	-	-	69-243-0	-
38", 96.5CM	2	142978X	49	9,5	-	-	69-243-0	-
38", 96.5CM	2	106634X	49,2	9,5	-	-	69-243-0	69-259-0
38", 96.5CM	2	25036R	49,2	9,5	-	-	69-243-0	69-259-0
38", 96.5CM	2	121263X	49,2	9,5	-	-	69-243-0	69-259-0
LT960/YTH125	1	5321212-63	49,2	9,5	-	-	69-243-0	69-259-0
BIOCLIP, Husqvarna Master, Master Pro	1	516-4139-00	50	9,9	8,7	-	69-244-0	-
BIOCLIP, Husqvarna Master, Master Pro	1	531-0050-45	50	9,9	8,7	-	69-244-0	-
Jet50, 51	1	850972	50,5	15,8	9,5	47,6	69-244-0	69-260-0
Jet 50-51	1	532-8509-72	50,6	15,8	9,5	47,6	69-265-0	-
20", WALK BEHIND	1	25744	50,6	15,8	9,5	47,6	69-244-0	-
Jet 50-51	1	129277	50,8	15,8	9,5	47,6	69-265-0	-
Jet 50-51	1	131694	50,8	15,8	9,5	47,6	69-265-0	-
Jet 50-51	1	133346	50,8	15,8	9,5	47,6	69-265-0	-
Jet 50-51	1	145106	50,8	15,8	9,5	47,6	69-265-0	-
Jet 50-51	1	532145106	50,8	15,8	9,5	47,6	69-265-0	-
Jet 50-51	1	532752233	50,8	15,8	9,5	47,6	69-265-0	-
ROYAL 53	1	516-4943-04	53	9,9	-	-	69-266-0	69-256-0
42", 106CM	2	101733	53	16	-	-	69-266-0	69-256-0
R52SE, P5553, 4553, 753, 553	1	532 1750-52	53,2	16	9,5	48	69-245-0	69-261-0
53CM	1	159267	53,5	16	10	48	69-245-0	69-261-0
53CM	1	199377	53,5	15,8	9,5	47,5	69-266-0	69-256-0
R 152, R53SV (21", 53CM - 42", 106CM)	1-2	165833	53,5	16	9,5	47,5	69-266-0	69-256-0
R 152, R53SV (21", 53CM - 42", 106CM)	1-2	175064	53,5	16	9,5	47,5	69-266-0	69-256-0
R 152, R53SV (21", 53CM - 42", 106CM)	1-2	189028	53,5	16	9,5	47,5	69-266-0	69-256-0
R 152, R53SV (21", 53CM - 42", 106CM)	1-2	406712	53,5	16	9,5	47,5	69-266-0	69-256-0
R 152, R53SV (21", 53CM - 42", 106CM)	1-2	532-1658-33	53,5	16	9,5	47,5	69-266-0	69-256-0
R 152, R53SV (21", 53CM - 42", 106CM)	1-2	532-1750-64	53,5	16	9,5	47,5	69-266-0	69-256-0
R 152, R53SV (21", 53CM - 42", 106CM)	1-2	532-1890-28	53,5	16	9,5	47,5	69-266-0	69-256-0
R 152, R53SV (21", 53CM - 42", 106CM)	1-2	532-4067-12	53,5	16	9,5	47,5	69-266-0	69-256-0
R 152, R53SV (21", 53CM - 42", 106CM)	1-2	539-1118-78	53,5	16	9,5	47,5	69-266-0	69-256-0
22", WALK BEHIND	1	532-3552-56	55,2	15,8	9,5	47,6	69-246-0	
22", WALK BEHIND	1	532-7522-34	55,2	15,8	9,5	47,6	69-246-0	
Jet 55	1	850973	55,2	15,8	9,5	47,6	69-267-0	-
FR6852SH-9612400J	1	406713	55,2	15,8	9,6	47,6	69-246-0	69-262-0
FR6852SH-9612400J	1	192682	55,2	15,8	9,6	47,6	69-246-0	69-262-0
Jet55 (56CM)	1	141114	55,2	15,8	9,6	47,6	69-246-0	
Jet55 (56CM)	1	532-1411-14	55,2	15,8	9,6	47,6	69-246-0	69-262-0
Jet55 (56CM)	1	532-8509-73	55,2	15,8	9,5	47,6	69-246-0	69-262-0
➔ ISEKI								
SG153, SG173 (122CM)	3	8595306-002-00	42,8	14,5	-	-	-	69-252-0
TMG18 (137CM)	3	8657306-001-00	47,5	14	-	-	69-264-0	69-254-0
SF200, SF230 (137CM)	3	8654306-001-00	52,5	15,8	-	-	69-266-0	69-256-0
➔ JACOBSEN								
92CM, 132CM	2-3	390655	45,7	15,8	-	-	69-242-0	69-258-0
➔ JOHN DEERE								
48", 122CM	3	AM104488	40,6	15,8	-	-	69-239-0	69-248-0

								
					GATOR®	STD		
➔ JOHN DEERE ./..								
PT11136 (81CM, 122CM)	2-3	PC1255	40,6	15,8	-	-	69-239-0	69-248-0
46-47-48 (46", 117CM)	3	AM31100	40,6	17,5	-	-	69-239-0	69-248-0
46-47-48 (46", 117CM)	2	M41967	40,6	17,5	-	-	69-239-0	69-248-0
46-47-48 (46", 117CM)	2	M41967	40,6	17,5	-	-	69-239-0	69-248-0
Model 38, 39 & 41 (82CM, 122CM)	2-3	AM104489	40,6	17,5	-	-	69-239-0	69-248-0
100 SERIES-L (48", 122CM)	3	GX20250	43	17	10,3	85	69-241-0	69-249-0
50", 127CM	3	AM39966	43,6	17,6	-	-	69-241-0	69-249-0
92CM, 132CM	2-3	PT8721	45,7	15,8	-	-	69-243-0	69-259-0
38", 96.5CM	2	M112991	49,5	17,8	-	-	69-243-0	-
38", 96.5CM	2	AM10094	49,5	17,8	-	-	69-243-0	-
38", 96.5CM	2	M82408	49,5	17,8	-	-	69-264-0	69-254-0
38", 96.5CM	2	AM100946	49,5	17,8	-	-	69-264-0	69-254-0
38", 96.5CM	2	M84472	49,5	17,8	-	-	69-264-0	69-254-0
Model 400 (153CM)	2	AM112847	51,9	19,8	-	-	69-244-0	69-260-0
Model 400 (153CM)	2	AM35557	51,9	19,8	-	-	69-244-0	69-260-0
Model 400 (153CM)	2	M48452	51,9	19,8	-	-	69-244-0	69-260-0
62C Convertible (62", 158CM)	3	M1435	54	20,5	-	-	69-267-0	-
LT-166 (106CM)	2	M139802	54,6	17,4	-	-	69-267-0	69-257-0
LT-166 (106CM)	2	M145969	54,6	17,4	-	-	69-267-0	69-257-0
➔ JONSERED								
LR8 (36", 92CM)	2	5320256-45	46,2	9,5	-	-	69-242-0	69-258-0
LR8 (36", 92CM)	2	532-126338	46,2	9,5	-	-	69-242-0	69-258-0
LR10/12/13/LT14/YTH16 (96.5CM)	2	532121263	49	9,5	-	-	69-243-0	-
LR10/12/13/LT14/YTH16	2	532143978	49,2	9,5	-	-	69-243-0	-
600S, 600R, 450	1	850972	50,5	15,8	9,5	47,6	69-244-0	69-260-0
600S, 600R, 450	1	532145106	50,8	15,8	9,5	47,6	69-244-0	69-260-0
455SD	1	532-8509-73	55,2	15,8	9,5	47,6	69-266-0	69-256-0
➔ KLIPPO								
19" (18.5cm) Excellent, Kommun, Pro 4	1	60.00-4	48,7	14	-	-	69-264-0	-
Combi G7 21", G7 21"	1	60,04	52,8	14	-	-	69-266-0	-
Cornet, Pro S, Pro SDH, G7	1	60.04-4	53	14	-	-	69-245-0	-
➔ KUBOTA								
RC48G (48", 122CM)	3	76500-34330	42,3	18	-	-	-	69-249-0
RC48-F19,RC48-G20F,RC48-C20F (48", 122CM)	3	76505-11550	42,3	18	-	-	-	69-252-0
U304H, U304M15, 348's (122CM)	3	70080-00450	42,5	15,9	-	-	-	69-252-0
T1400	1	66071-61760	52	17,4	-	-	69-265-0	69-255-0
➔ KYNAST								
3r/1601/SIM48	1	00.1851.33	47	10	10	70	69-263-0	69-253-0
3r/1601/SIM48	1	3R/1601/SIM48	47	10	10	70	69-263-0	69-253-0
➔ MAC ALLISTER								
	3	9265	43,2	15,8	-	-	69-241-0	69-249-0
➔ MC CULLOCH								
	1	176-4381	53	12,7	9,5	63,5	69-266-0	69-256-0
➔ MOUNTFIELD								
EMBLEM	1	M2868	37,9	16	6,5	70	-	69-250-0
Empress	1	M3204	40	16	6,5	70	-	69-248-0
Empress	1	M4609	40,5	16	7	70	69-239-0	69-251-0

     OREGON ONE FOR ALL GATOR® STD								
➔ MOUNTFIELD ./.								
Laser, Mascot, Mercury 16", Omega, Delta, Optima, Mascot 42, Mascot 420P	1	B021300/0	41,9	16	7,9	65	-	69-251-0
M3 M4	1	M1336	46	16	7	70	69-263-0	69-253-0
M3 M4	1	M4358	46	16	7	70	69-263-0	69-253-0
46 CM	1	M5320	46	16	8	65	69-263-0	69-253-0
Tuffcut 48	1	MS1173603	48	16,2	-	-	69-243-0	69-259-0
OMEGA 53/DELTA 53	1	90895105	51	10	8	65	69-265-0	69-255-0
➔ MTD								
38", 83CM	2	742-04154	45,4	17,5x25,4	-	-	69-263-0	-
46SP, 46SP, 9915PN	1	742-0638	45,5	17,5x25,4	7,9	65	69-242-0	69-258-0
46SP, 46SP, 9915PN	1	742-0818	45,5	17,5x25,4	7,9	65	69-242-0	69-258-0
18", 46CM	1	742-0738	45,7	17,5x25,4	7,5	63,5	69-263-0	-
18", 46CM	1	942-0738	45,7	17,5x25,4	7,5	63,5	69-263-0	-
36", 92CM	2	742-0496	46,4	10,3	7,9	63,5	69-242-0	69-258-0
GE48, 48PT	1	742-0822	47,5	17,5x25,4	7,9	63,5	69-243-0	69-259-0
MTD Super King 48, 48HM, 48BH	1	328531	47,8	19,7	12,7x20	70	69-243-0	69-259-0
476, 487, 490, 493, 494, 495, 496, 497, 497F, 497P, 498, 628, 720, 760, 765, S/D, 138-495A, 138-497A, W7-BG-497B	1	742-0122	48,2	10,3	7,9	63,5	69-264-0	69-254-0
20", 51CM 1997->	1	742-0640	50,7	17,5x25,4	7,5	63,5	69-265-0	69-255-0
20", 51CM 1997->	1	942-0640	50,7	17,5x25,4	7,5	63,5	69-265-0	69-255-0
20", 51CM 1997->	1	942-0740	50,7	17,5x25,4	7,5	63,5	69-265-0	-
20", 51CM 1997->	1	742-0740	50,7	17,5x25,4	7,5	63,5	69-265-0	69-255-0
	1	742-0123	50,8	10,3	7,9	63,5	69-265-0	69-255-0
GES53, RB53, 53SP, HB53RB, RB53-5R, CPG53, BL5350SP, 478SPS, YM6021M	1	742-0828	51,5	17,5x25,4	-	-	69-244-0	69-260-0
GES53, RB53, 53SP, HB53RB, RB53-5R, CPG53, BL5350SP, 478SPS, YM6021M	1	942-0828	51,5	17,5x25,4	-	-	69-244-0	69-260-0
118-620A, W7-BG620-B, 128-290, W7-BG-290 SP-B	1	742-0124	53,3	10,3	7,9	63,5	69-266-0	69-256-0
21", 53CM 1997->	1	742-0641	53,3	17,5x25,4	7,9	63,5	69-266-0	69-256-0
21", 53CM 1997->	1	942-0641	53,3	17,5x25,4	7,9	63,5	69-266-0	69-256-0
42", 107CM	2	742-0503	53,8	10,3	7,9	63,5	69-266-0	69-256-0
42", 107CM	2	742-0538	53,8	10,3	7,9	63,5	69-245-0	-
➔ MURRAY								
20", 51CM	1	20045	50	10	-	-	69-243-0	69-259-0
20", 51CM	1	42785HT	50	10	-	-	69-243-0	69-259-0
20", 51CM	1	42785E701	50	10	-	-	69-265-0	-
20", 51CM	1	672763E701	50,5	10	-	-	69-265-0	69-255-0
21", 53CM	1	672029	52,4	10	-	-	69-244-0	69-260-0
22", 56CM	1	672573	55	10	-	-	69-246-0	69-262-0
22", 56CM	1	672573E701	55	10	-	-	69-246-0	69-257-0
22", 56CM 1968->1990	1	20046	55,2	10,3	-	-	69-267-0	69-257-0
22", 56CM 1968->1990	1	422225	55,2	10,3	-	-	69-267-0	69-257-0
➔ OLEO MAC								
G43	1	66010038	39	10	8	65	-	69-247-0
GE43	1	66010047	39	21	10,5	52	-	69-247-0
G44	1	-	40,5	10	8	65	69-239-0	69-248-0
G47 X/A/TAS	1	66030201	45,5	10	7,9	65	69-242-0	69-258-0
GE47	1	66010017	45,5	21	10,5	52	69-242-0	69-258-0
G53	1	66070034	51	10	8	65	69-244-0	69-260-0

        								
								GATOR® STD
➔ PARTNER								
150, 150H, 150D	1	850972	50,5	15,8	9,5	47,6	69-244-0	69-260-0
1295 (96.5CM)	2	5321212-63	49	9,5	-	-	69-243-0	-
50-51	1	5328509-72	50,6	15,8	9,5	47,6	69-265-0	-
155LD,355D	1	532-8509-73	55,2	15,8	9,5	47,6	69-266-0	69-256-0
Jet 55	1	850973	55,2	15,8	9,5	47,6	69-267-0	-
➔ PILOTE								
Groundsmaster (92CM, 132CM)	2-3	27-0990	45,7	12,7	-	-	69-263-0	69-253-0
534TR	1	81004398/0	50,5	18	8,8	65	69-265-0	69-255-0
➔ PLANTIFLOR								
NG484	1	81004395/1	48	18	8,8	65	69-264-0	-
➔ QUEEN GARDEN								
	1	344020	44,1	17,4	10	52	69-241-0	69-249-0
B484 TR-H	1	81004346/3	46,2	18	8,5	65	69-263-0	69-253-0
	1	206	49	18	-	-	69-243-0	69-259-0
GI 52	1	55013	51	10	8	65	69-244-0	69-260-0
➔ RANSOMES								
92CM, 137CM	2-3	32022	45,7	15,8	6,3	41,2	69-242-0	-
82CM, 122CM	2-3	92418	41,2	15,8	-	-	69-239-0	-
XM SERIES 92CM, 137CM	2-3	112111-02	45,7	15,8	-	-	69-263-0	69-253-0
92CM, 137CM	2-3	32022HD	45,7	15,8	6,3	41,2	69-242-0	69-258-0
21", 53CM	1	72039	53,3	9,5	9,5	50,8	69-266-0	69-245-0
21", 53CM	1	WM172039	53,3	9,5	9,5	50,8	69-266-0	69-245-0
61" (155CM)	3	42180B	53,3	15,8	-	-	69-245-0	69-261-0
HA6010, HT3806, 851 (155CM)	3	112111-03	53,3	15,8	-	-	69-266-0	69-256-0
HA6010, HT3806, 851 (155CM)	3	112243-03	53,3	15,8	-	-	69-266-0	69-256-0
➔ SABO								
Serie 120, 140, 200, 300 116, 116H, 170, 175, 180, 185, 240, 245, 260, 265, 285, 320, LT166, STX46, F510, F525	2	AM31100	40,6	17,5	-	-	69-239-0	69-248-0
TC92	1	SB81004346/3	46,2	18	8,5	65	69-263-0	69-253-0
➔ SABRE								
48"-1948GV, 1948HV, 2148HV	3	AM39966	43,6	17,6	-	-	69-241-0	-
➔ SANDRIGARDEN								
	1	206	49	18	-	-	69-243-0	69-259-0
GI52	1	53013	51	10	8	65	69-244-0	69-260-0
➔ SCAG								
82CM, 122CM	2-3	A48110	41,9	15,8	-	-	69-241-0	69-249-0
82CM, 122CM	2-3	A48184	41,9	15,8	-	-	69-241-0	69-249-0
135CM	3	482878	45,5	15,8	-	-	69-263-0	69-253-0
Tiger Cub, Wildcat, Turf Tiger, Freedom Z52" deck (92CM, 132CM)	2-3	48185	45,7	15,8	-	-	69-242-0	69-258-0
Tiger Cub, Wildcat, Turf Tiger, Freedom Z52" deck (92CM, 132CM)	2-3	481711	45,7	15,8	-	-	69-242-0	69-258-0
Tiger Cub, Wildcat, Turf Tiger, Freedom Z52" deck (92CM, 132CM)	2-3	482306	45,7	15,8	-	-	69-242-0	69-258-0
(92CM) 2000 ->	2	482462	45,7	15,8	-	-	69-242-0	69-258-0
Tiger Cub, Wildcat, Turf Tiger, Freedom Z52" deck	1	48108	45,7	15,8	-	-	69-242-0	69-258-0
Tiger Cub, Wildcat, Turf Tiger, Freedom Z52" deck (92CM, 132CM)	2-3	481707	45,7	15,8	-	-	69-242-0	69-258-0
92CM, 132CM	2-3	482462	45,7	15,8	-	-	69-242-0	69-258-0
92CM, 132CM	2-3	482467	45,7	15,8	-	-	69-242-0	69-258-0

     OREGON ONE FOR ALL GATOR® STD								
➔ SCAG ./..								
92CM, 132CM	2-3	A48108	45,7	15,8	-	-	69-242-0	69-258-0
61", 155CM	3	482879	53,3	15,8	-	-	69-266-0	69-256-0
61", 155CM	3	A48111	53,3	15,8	-	-	69-245-0	69-261-0
61", 155CM	3	A48304	53,3	15,8	-	-	69-245-0	-
➔ SENTAR								
48", 122CM	3	71440002	41,9	15,8	-	-	69-241-0	69-249-0
52", 132CM	3	71440001	45,7	15,8	-	-	69-242-0	69-258-0
61", 155CM	3	71440003	53,3	15,8	-	-	69-245-0	-
➔ SNAPPER								
82CM, 122CM	2-3	1-7036	41,2	15,8	-	-	69-239-0	69-248-0
82CM, 122CM	2-3	1-7043	41,9	15,9	-	-	69-241-0	-
92CM, 132CM	2-3	7-7344	45,5	15,8	-	-	69-242-0	69-258-0
Pro series 0, Pro 7 series, 0, 1, 2, 4 (92CM, 132CM)	2-3	1-7037	45,5	15,8	-	-	69-242-0	69-258-0
Pro series 0, Pro 7 series, 0, 1, 2, 4 (92CM, 132CM)	2-3	7-7037	45,7	15,8	-	-	69-242-0	69-258-0
➔ STAUB								
Groundsmaster (92CM, 132CM)	2-3	44-5480	45,7	12,7	-	-	69-263-0	69-253-0
➔ STIGA								
TRAC	1	114-0628-01	43,1	9,5	9,9	69,8	69-241-0	69-249-0
EURO 45	1		43,5	10	10,5	52	69-241-0	69-249-0
NG 464TR	1	81004365/3	43,5	18	8,8	65	-	69-252-0
Belos 1300	3	1135-1540-01	45,5	10	8	90	69-263-0	-
PARK 2000/2002/PONY (44", 110CM)	3	1111-1605-01	45,7	10	8,5	90	-	69-247-0
PARK 2000/2002/PONY (44", 110CM)	3	1134-0456-00	45,7	10	8,5	90	-	69-247-0
PARK 2000/2002/PONY (44", 110CM)	3	1134-1903-01	45,7	10	8,5	90	-	69-247-0
PARK 2000/2002/PONY (44", 110CM)	3	1134-9001-01	45,7	10	8,5	90	-	69-247-0
92CM, 132CM	2-3	303495	45,7	15,8	-	-	69-263-0	-
430, 480 series	1	81004346/2	45,7	18	8,8	65	69-263-0	69-253-0
430, 480 series	1	81004397/0	45,7	18	8,8	65	69-263-0	69-253-0
MULTICLIP 46S/PRO 46 18", 46CM)	1	1111-1530-01	46	10	8	55	69-242-0	-
MULTICLIP 46S/PRO 46 18", 46CM)	1	1111-1603-01	46	10	8	55	69-242-0	-
MULTICLIP 46S/PRO 46 18", 46CM)	1	1111-9077-01	46	10	8	55	69-242-0	-
MULTICLIP 46S/PRO 46 18", 46CM)	1	1111-9078-01	46	10	8	55	69-242-0	-
MULTICLIP PRO 515	1	1111-3298-02	46	10	8	90	69-244-0	-
MULTICLIP PRO 515	1	1111-9109-01	46	10	8	90	69-244-0	-
MULTICLIP PRO 515	1	1111-9155-01	46	10	8	90	69-244-0	-
SPL484	1	8104346/3	46	18	8,8	65	69-263-0	69-253-0
SPL484 TR	1		46	18	8,8	65	69-263-0	69-253-0
Estate Senator, Estate President Mulching	1	1111-9121-01	46	18	8,8	65	69-263-0	69-253-0
Estate Senator, Estate President Mulching	1	81004346/3	46	18	8,8	65	69-263-0	69-253-0
Estate Senator, Estate President	1	1111-9121-01	46,2	18	8,5	65	69-263-0	69-253-0
534 TR	1	1111-9194-01	50,5	18	8,8	65	69-265-0	69-255-0
➔ TORO								
Z5000, Time Cutter 74375 (50", 127CM)	3	110-6837-03	44,4	15,8	-	-	-	69-252-0
Time Cutter ZX, Recycler (132CM)	3	107-1741-03	45,5	15,8	-	-	69-263-0	-
Time Cutter ZX, Recycler (132CM)	3	107-1742-03	45,5	15,8	-	-	69-263-0	69-253-0
Groundsmaster (92CM, 132CM)	2-3	27-0990	45,7	12,7	-	-	69-263-0	69-253-0
Groundsmaster (92CM, 132CM)	2-3	27-0990-03	45,7	12,7	-	-	69-263-0	69-253-0

									
								GATOR®	STD
									
Groundsmaster (92CM, 132CM)	2-3	44-5480	45,7	12,7	-	-		69-263-0	69-253-0
92CM, 132CM	2-3	56-2390	45,7	12,7	-	-		69-263-0	69-253-0
92CM, 132CM	2-3	56-2390-03	45,7	12,7	-	-		69-263-0	69-253-0
(92CM, 132CM)	2-3	TR56-2390	45,7	12,7	-	-		69-263-0	69-253-0
132CM	3	92-7961	45,7	12,7	-	-		69-263-0	69-253-0
(92CM, 132CM)	2-3	TR27-0990	45,7	12,7	-	-		69-263-0	69-253-0
455D (132", 340CM)	7	86-0010	48,2	12,7	-	-		69-264-0	-
RECYCLER (38", 97CM)	2	57-4700	49	15,8	-	-		69-264-0	69-254-0
RECYCLER (38", 97CM)	2	79-3060	49	15,8	-	-		69-264-0	69-254-0
Groundsmaster 580P (406CM)	11	69-6920	50,8	15,8	-	-		69-265-0	69-255-0
21", 53CM	1	108-3762-03	53	12,7	10	62		69-245-0	69-261-0
21", 53CM	1	93-4106-03	53	12,7	10	62		69-245-0	69-261-0
21", 53CM	1	TR93-4106-03	53	12,7	10	62		69-245-0	69-261-0
Recycler 21" 20219, 20103, 20106, 20107, 20210, 20211, 20217, 20218, 491 <-1995	1	14-1659	53,1	11,1	9,5	61,9		69-266-0	-
Recycler 21" 20219, 20103, 20106, 20107, 20210, 20211, 20217, 20218, 491 <-1995	1	14-9419	53,1	11,1	9,5	61,9		69-266-0	-
Recycler 21" 20219, 20103, 20106, 20107, 20210, 20211, 20217, 20218, 491 <-1995	1	75-9420	53,1	11,1	9,5	61,9		69-266-0	-
Recycler 21" 20219, 20103, 20106, 20107, 20210, 20211, 20217, 20218, 491 <-1995	1	80-0510	53,1	11,1	9,5	61,9		69-266-0	-
Recycler 21" 20219, 20103, 20106, 20107, 20210, 20211, 20217, 20218, 491 <-1995	1	91-2256	53,1	11,1	9,5	61,9		69-266-0	-
Timme Cutter Z, RZT420 (106CM)	2	106-2247-03	54,5	15,8	-	-		69-262-0	69-256-0
42", 107CM	2	106-8744-03	54,5	15,8	-	-		69-267-0	69-257-0
Groundsmaster (62", 158CM)	3	44-6250	54,6	12,7	-	-		69-266-0	69-256-0
Recycler (62", 158CM)	3	92-5608	55	12,7	-	-		69-267-0	69-257-0
22" Atomic	1	104-8697-03	55,2	11,5	-	-		69-246-0	-
22" Atomic	1	108-9764-03	55,2	11,5	-	-		69-246-0	69-262-0
									
HB 41, EP434	1	81004341/5	41	18	8,8	65		69-239-0	69-248-0
MT545, MT585	1	6125 702 0110	46,2	18	8,5	65		69-263-0	69-253-0
									
Standard (36", 92CM)	2	4943	46	10	8	50		69-242-0	69-258-0
									
718Z (127cm)	3	113579	43	15,8	-	-		69-241-0	69-249-0
									
112CM	3	70014	38,1	12,7	-	-		-	69-247-0
155CM	3	70104	45,7	12,7	-	-		69-263-0	69-253-0
155CM	3	70134	53,3	12,7	-	-		69-266-0	69-256-0
									
YLM34P/S/SE, YLE242P/S	1	JYWT-54320-00	40	19	-	-		69-239-0	-
	1	YWT-57374-20	45	19	-	-		69-242-0	-

	GATOR®	STD		GATOR®	STD		GATOR®	STD
206	69-243-0	69-259-0	75270	69-242-0	69-258-0	482467	69-242-0	69-258-0
1206	69-263-0	69-253-0	76752	69-266-0	69-256-0	482878	69-263-0	69-253-0
1324	69-242-0	69-258-0	92418	69-239-0	-	482879	69-266-0	69-256-0
1893	69-242-0	69-258-0	98111	69-242-0	69-258-0	490005	69-241-0	69-249-0
4013	69-243-0	69-259-0	101733	69-266-0	69-256-0	513519	-	69-247-0
4943	69-242-0	69-258-0	113579	69-241-0	69-249-0	513520	69-242-0	69-258-0
5757	69-246-0	69-262-0	121263	69-242-0	69-258-0	513621	69-242-0	69-258-0
6004	69-266-0	-	129277	69-265-0	-	530979	69-242-0	69-258-0
6415	69-241-0	69-249-0	131694	69-265-0	-	531486	-	69-247-0
6895	69-242-0		133346	69-265-0	-	531736	69-263-0	69-253-0
6898	69-245-0		141114	69-246-0		603283	-	69-255-0
9258	69-241-0	69-249-0	145106	69-265-0	-	603873	69-242-0	-
9265	69-241-0	69-249-0	159267	69-245-0	69-261-0	603874	69-265-0	-
9433	69-241-0	-	165833	69-266-0	69-256-0	633483	69-245-0	
9444	69-241-0	69-249-0	175064	69-266-0	69-256-0	653102	69-250-0	69-247-0
12441	69-245-0	69-261-0	189028	69-266-0	69-256-0	672029	69-244-0	69-260-0
12800	69-239-0	69-248-0	192682	69-246-0	69-262-0	672573	69-246-0	69-262-0
13920	-	69-247-0	199377	69-266-0	69-256-0	850972	69-244-0	69-260-0
18931	69-245-0	69-261-0	201026	69-239-0	69-248-0	850973	69-267-0	-
20045	69-243-0	69-259-0	300130	69-264-0	69-254-0	8779200	-	69-252-0
20046	69-267-0	69-257-0	303283	69-242-0	69-258-0	59006200	69-265-0	69-255-0
25124	-	69-261-0	303495	69-263-0	-	59006200	69-265-0	69-255-0
25744	69-244-0	-	313931	69-243-0	69-259-0	66010017	69-242-0	69-258-0
30278	-	69-252-0	320019	69-242-0	69-258-0	66010038	-	69-247-0
31237	-	69-252-0	320236	69-263-0	69-253-0	66010047	-	69-247-0
32022	69-242-0	-	320242	69-266-0	69-256-0	66030201	69-242-0	69-258-0
38883	69-242-0	-	328531	69-243-0	69-259-0	66070034	69-244-0	69-260-0
40130	69-243-0	69-259-0	330032	69-245-0	69-261-0	66070034	69-244-0	69-260-0
42124	69-242-0	-	343120	69-242-0	69-258-0	71440001	69-242-0	69-258-0
46998	69-241-0	69-249-0	344020	69-241-0	69-249-0	71440002	69-241-0	69-249-0
46999	69-245-0	69-255-0	390655	69-242-0	69-258-0	71440003	69-245-0	-
48108	69-242-0	69-258-0	403059	69-239-0	69-248-0	81004346	69-263-0	69-253-0
48185	69-242-0	69-258-0	405499	69-242-0	69-258-0	81004365	69-241-0	-
48864	69-245-0	69-255-0	406712	69-266-0	69-256-0	81004366	69-243-0	69-254-0
53013	69-244-0	69-260-0	406713	69-246-0	69-262-0	81004381	69-244-0	69-260-0
55013	69-244-0	69-260-0	422225	69-267-0	69-257-0	81004385	69-242-0	69-258-0
70014	-	69-247-0	460983	-	69-239-0	81004396	69-239-0	69-248-0
70104	69-263-0	69-253-0	481707	69-242-0	69-258-0	81004398	69-265-0	69-255-0
70134	69-266-0	69-256-0	481711	69-242-0	69-258-0	90892047	69-261-0	69-245-0
71285	69-242-0	69-258-0	482306	69-242-0	69-258-0	90892048	69-264-0	69-254-0
72039	69-266-0	69-245-0	482462	69-242-0	69-258-0	90895105	69-265-0	69-255-0

GATOR®	STD		GATOR®	STD		GATOR®	STD	
532121263	69-243-0	-	14-1659	69-266-0		532-126338	69-242-0	69-258-0
532143978	69-243-0	-	142978X	69-243-0	-	532-1411-14	69-246-0	69-262-0
532145106	69-244-0	69-260-0	14-9419	69-266-0		532-1658-33	69-266-0	69-256-0
532752233	69-265-0	-	1-7036	69-239-0	69-248-0	532-1750-64	69-266-0	69-256-0
664531048	69-263-0	69-253-0	1-7037	69-242-0	69-258-0	532-1890-28	69-266-0	69-256-0
00.1851.33	69-263-0	69-253-0	1-7043	69-241-0	-	532-3552-56	69-246-0	
041300/0	69-263-0	69-253-0	173-0412	69-241-0	69-249-0	532-4067-12	69-266-0	69-256-0
104-8697-03	69-246-0		173-2145	69-241-0	69-249-0	532-7522-34	69-246-0	
106-2247-03	69-262-0	69-256-0	173-8571	69-241-0	69-249-0	5328509-72	69-265-0	-
106634X	69-243-0	69-259-0	174-7640	69-242-0	69-258-0	532-8509-72	69-265-0	-
106-8744-03	69-267-0	69-257-0	176-4381	69-266-0	69-256-0	532-8509-73	69-266-0	69-256-0
107-1741-03	69-263-0	-	177-2335	69-242-0	69-258-0	532-8509-73	69-266-0	69-256-0
107-1742-03	69-263-0	69-253-0	189-3850	69-267-0	69-257-0	539-1032-74	-	69-247-0
108-3762-03	69-245-0	69-261-0	25036R	69-243-0	69-259-0	539-1118-78	69-266-0	69-256-0
108-9764-03	69-246-0	69-262-0	25645R	69-242-0	69-258-0	56-2390	69-263-0	69-253-0
110-6837-03	-	69-252-0	27-0990	69-263-0	69-253-0	56-2390-03	69-263-0	69-253-0
1111-1530-01	69-242-0	-	27-0990-03	69-263-0	69-253-0	57-4700	69-264-0	69-254-0
1111-1603-01	69-242-0	-	302-40-803	69-263-0	-	60.00-4	69-264-0	-
1111-1605-01	-	69-247-0	310-1220	69-266-0		60.04-4	69-245-0	-
1111-3298-02	69-244-0	-	32022A	69-242-0	69-258-0	6125 702 0110	69-263-0	69-253-0
1111-9077-01	69-242-0	-	32022HD	69-242-0	69-258-0	66071-61760	69-265-0	69-255-0
1111-9078-01	69-242-0	-	3R/1601/SIM48	69-263-0	69-253-0	672573E701	69-246-0	69-257-0
1111-9078-01	69-242-0	-	42180B	69-245-0	69-261-0	672763E701	69-265-0	69-255-0
1111-9109-01	69-244-0	-	423-40-803	69-267-0	-	69-6920	69-265-0	69-255-0
1111-9121-01	69-263-0	69-253-0	42785E701	69-265-0	-	70080-00450	-	69-252-0
1111-9155-01	69-244-0	-	42785HT	69-243-0	69-259-0	742-0122	69-264-0	69-254-0
1111-9194-01	69-265-0	69-255-0	44-5480	69-263-0	69-253-0	742-0123	69-265-0	69-255-0
112111-02	69-263-0	69-253-0	44-6250	69-266-0	69-256-0	742-0124	69-266-0	69-256-0
112111-03	69-266-0	69-256-0	506-8852-01	69-241-0		742-04154	69-263-0	-
112243-03	69-266-0	69-256-0	516 44 38-00	69-263-0		742-0496	69-242-0	69-258-0
11234P1	69-241-0	69-249-0	5164005-00	69-263-0	69-253-0	742-0503	69-266-0	69-256-0
1134-0456-00	-	69-247-0	516-4139-00	69-244-0	-	742-0538	69-245-0	-
1134-1903-01	-	69-247-0	516-4943-04	69-266-0	69-256-0	742-0638	69-242-0	69-258-0
1134-9001-01	-	69-247-0	531-0050-09	69-241-0		742-0640	69-265-0	69-255-0
1135-1540-01	69-263-0	-	5310050-40	69-263-0		742-0641	69-266-0	69-256-0
114-0628-01	69-241-0	69-249-0	531-0050-45	69-244-0	-	742-0738	69-263-0	
117453-C1	69-266-0	69-256-0	532 1750-52	69-245-0	69-261-0	742-0740	69-265-0	69-255-0
120262X	69-242-0	69-258-0	5320256-45	69-242-0	69-258-0	742-0818	69-242-0	69-258-0
121263X	69-243-0	69-259-0	5321212-63	69-243-0	69-259-0	742-0822	69-243-0	69-259-0
123461X	69-243-0	-	5321222-60	69-242-0	69-258-0	742-0828	69-244-0	69-260-0
126338X	69-242-0	69-258-0	5321263-38	69-242-0	69-258-0	742-3002	-	69-250-0

	GATOR®	STD		GATOR®	STD		GATOR®	STD
742-3003	-	69-252-0	86-0010	69-264-0		M5320	69-263-0	69-253-0
742-3018	69-245-0	69-261-0	8654306-001-00	69-266-0	69-256-0	M82408	69-264-0	69-254-0
742-3019	69-241-0	69-249-0	8657306-001-00	69-264-0	69-254-0	M84472	69-264-0	69-254-0
75-9420	69-266-0		91-2256	69-266-0		MS1173603	69-243-0	69-259-0
76500-34330	-	69-249-0	92-5608	69-267-0	69-257-0	PC005	69-245-0	69-261-0
76505-11550	-	69-252-0	92-7961	69-263-0	69-253-0	PC1255	69-239-0	69-248-0
7-7037	69-242-0	69-258-0	93-4106-03	69-245-0	69-261-0	PL4055	-	69-252-0
7-7344	69-242-0	69-258-0	942-0640	69-265-0	69-255-0	PL4205	69-241-0	-
79-3060	69-264-0	69-254-0	942-0641	69-266-0	69-256-0	PL4206	69-242-0	69-258-0
80-0510	69-266-0		942-0738	69-263-0		PL4855	69-241-0	-
81004126/0	69-243-0	69-259-0	942-0740	69-265-0		PT8721	69-243-0	69-259-0
81004232/1	69-241-0	69-249-0	942-0828	69-244-0	69-260-0	SB81004346/3	69-263-0	69-253-0
81004233/0	-	69-248-0	A48108	69-242-0	69-258-0	TR27-0990	69-263-0	69-253-0
81004233/2	-	69-248-0	A48110	69-241-0	69-249-0	TR56-2390	69-263-0	69-253-0
81004341/0	69-239-0	69-248-0	A48111	69-245-0	69-261-0	TR93-4106-03	69-245-0	69-261-0
81004341/5	69-239-0	69-248-0	A48184	69-241-0	69-249-0	WM132061	69-239-0	-
81004346/0	69-263-0	69-253-0	A48304	69-245-0	-	WM172039	69-266-0	69-245-0
81004346/1	69-263-0	69-253-0	AM10094	69-243-0	-	YWT-57374-20	69-242-0	-
81004346/2	69-263-0	69-253-0	AM100946	69-264-0	69-254-0			
81004346/3	69-263-0	69-253-0	AM104488	69-239-0	69-248-0			
8100-43-463	69-263-0	69-253-0	AM104489	69-241-0	69-249-0			
81004360/1	-	69-248-0	AM112847	69-244-0	69-260-0			
81004360/2	-	69-248-0	AM31100	69-239-0	69-248-0			
81004360/3	-	69-248-0	AM35557	69-244-0	69-260-0			
81004365/1	-	69-252-0	AM39966	69-241-0	69-249-0			
81004365/3	-	69-252-0	B021300/0	-	69-251-0			
81004366/0	69-264-0	69-254-0	BAN2111PB	69-263-0	69-253-0			
81004366/2	69-243-0	69-254-0	CG81004396HO	69-239-0	-			
81004370/0	69-264-0	69-254-0	GX20250	69-241-0	69-249-0			
81004381/0	69-244-0	69-260-0	JYWT-54320-00	69-239-0	-			
81004395/0	69-264-0	69-254-0	M112991	69-243-0	-			
81004395/1	69-264-0	69-254-0	M1336	69-263-0	69-253-0			
81004396/0	69-239-0	69-248-0	M139802	69-267-0	69-257-0			
81004396/0	69-239-0	69-248-0	M1435	69-267-0	-			
8100-43-960	69-239-0	69-248-0	M145969	69-267-0	69-257-0			
81004397/0	69-263-0	69-253-0	M2868	-	69-250-0			
81004397/0	69-263-0	69-253-0	M3204	-	69-248-0			
8100-43-970	69-263-0	69-253-0	M41967	69-239-0	69-248-0			
81004398/0	69-265-0	69-255-0	M4358	69-263-0	69-253-0			
8104346/3	69-263-0	69-253-0	M4609	69-239-0	69-251-0			
8595306-002-00	-	69-252-0	M48452	69-244-0	69-260-0			